

N: spindle speed in RPM
 L: belt length in mm
 P: transmissible power in kW

Unit	Motor	Driven disk Driving disk	45			52			60			70			80			90			100			110			120					
			N	L	P	N	L	P	N	L	P	N	L	P	N	L	P	N	L	P	N	L	P	N	L	P	N	L	P			
MAX 20 F MAX 25 FH MAX 20 TE MAX 20 CN MAX 20 TM	970 RPM	35	610	0.9	620	0.9	540	0.9	660	0.9	470	0.9	400	0.9	360	0.9	711	0.9	711	0.9	320	0.9	711	0.9	290	0.9	711	0.9	270	0.9		
		45	900	1.5	780	1.5	675	1.5	660	1.5	575	1.5	510	1.5	450	1.5	450	1.5	711	1.5	405	1.5	711	1.5	370	1.5	762	1.5	340	1.5		
		80	1600	1.5	1380	1.8	1200	2.0	1030	2.0	1030	2.0	900	2.0	800	2.0	762	2.0	813	2.0	720	2.0	813	2.0	655	2.0	813	2.0	600	2.0		
		120	2400	1.4	2100	1.8	1800	2.0	1540	2.0	1540	2.0	1350	2.0	1200	2.0	1080	2.0	813	2.0	1080	2.0	864	2.0	864	2.0	900	2.0	864	2.0	864	2.0
		35	1150	1.4	975	1.4	850	1.4	660	1.4	725	1.4	635	1.4	565	1.4	565	1.4	711	1.4	500	1.4	711	1.4	460	1.4	711	1.4	425	1.4		
		45	1450	2.0	1250	2.0	1100	2.0	920	2.0	920	2.0	800	2.0	720	2.0	660	2.0	711	2.0	650	2.0	711	2.0	580	2.0	762	2.0	530	2.0		
	1450 RPM	80	2580	2.0	2230	2.5	1930	3.0	1660	3.0	1660	3.0	1450	3.0	1290	3.0	1290	3.0	813	3.0	1160	3.0	813	3.0	1050	3.0	813	3.0	4.4	970	4.4	
		120	3800	2.0	3300	2.5	2800	3.0	2500	3.0	2500	3.0	2150	3.0	1900	3.0	1900	3.0	813	3.0	1700	3.0	864	3.0	1580	3.0	864	3.0	5.5	1450	5.5	
		35	2260	2.1	1950	2.1	1690	2.1	1450	2.1	1450	2.1	1270	2.1	1130	2.1	1130	2.1	711	2.1	1020	2.1	711	2.1	920	2.1	711	2.1	845	2.1		
		45	2900	3.4	2510	3.4	2180	3.4	1870	3.4	1870	3.4	1630	3.4	1450	3.4	1290	3.4	1290	3.4	1300	3.4	1300	3.4	1190	3.4	1290	3.4	1090	3.4		
		80	5155	3.4	4460	4.1	3870	5.3	3310	5.3	3310	5.3	2900	5.3	2580	5.3	2580	5.3	813	5.3	2320	5.3	813	5.3	2110	5.3	813	5.3	7.9	1930	7.9	
		120																														
970 RPM	35																															
	45																															
	80																															
	120																															
	35																															
	45																															
1450 RPM	80																															
	120																															
	35																															
	45																															
	80																															
	120																															
2900 RPM	35																															
	45																															
	80																															
	120																															
	35																															
	45																															
MAX 28 F	80																															
	120																															
	35																															
	45																															
	80																															
	120																															
MAX 30 B	35																															
	45																															
	80																															
	120																															
	35																															
	45																															